



An Exquisite Range of Premium, Marine Grade Plywood. Block Board & Flush Door

# Looking for plywood?





### Consider Us!

We provide a complete range of Plywood, Block Board and Flush Doors in India with a promise of exceptional quality and excellent service. Our entire range of products like Plywood, Block Board & Flush Doors, etc is adding towards the decor and beauty of numerous residential and commercial establishments. We strive to meet customer and market demands while conforming to the finest standards of quality, service, and innovation. We are a player in the plywood industry who understands customer requirements and thus, we are 100% customer-centric.









# A NEW ERA IN BEAUTIFUL INTERIORS

Nearly 75% of the Plywood industry in India is dominated by organized players. Moreover, this industry, traditionally, has got a lower entry barrier that creates a large gap between what the consumers require and what they actually get. We have developed the range of Sylvester with unique features that make the products stand out while catering to the need of the customers.

PLATINUM CLUB Sylvester Marine

CLASSIC CLUB
Sylvester Club

PREMIUM CLUB
Sylvester Gold

STANDARD CLUB
Sylvester Silver





# PLATINUM CLUB

# SYLVESTER MARINE



It is the most premium product from the House of Sylvester Ply. It is made from exclusive hardwood species bonded with BWP grade synthetic resin. This, clubbed with the revolutionary GLP technology makes it 100% borer and termite proof. It also undergoes pre-pressing that ensures the homogeneous spread of moisture and adhesive, thus making it warp-free. Besides having a higher face thickness and no core gaps, this product comes with a 25 years warranty.




- Glued Core Protection technology for complete protection against borers and termites. IS 710 superior BWP Marine grade plywood.
- Manufactured using specially selected high-density timber for superior strength and higher screw holding capacity along with heavy load-bearing capacity.
- Bonded with superior un-extended PF resin that endures toxicity in every layer, thus inhibiting attack from borers and termites from outside and inside.
- High resistance to all climatic conditions for preventing warping and bringing dimensional stability.
- 4 times pressing process for a smooth finish with laminates and veneers. Superior smooth surface and no undulation.
- Gurjan Face Veneer for the unmatchable finish.
- 25 years warranty.





### TECHNICAL SPECIFICATION

Specific Gravity	Approx .075
Adhesive	Unextended Phenol Formaldehyde resin (IS: 710)
Moisture Content (%)	8-12%
Water Absorption (%)	<5
Bonding	Guaranteed for lifetime serviceability
Veneer to Veneer ratio	As per standard
CSS Wet Testlkgf)	>120
Preservative treatment	Two tier treatment 1. Clued core protection 2. Finished panels are treated with ACC
Clue Shear Strength (kgf)	>145
Mycological Test (kgf)	>120
Cap.Split.Overlap,Wrap	Nil



4mm, 6mm, 9mm 12mm, 16mm, 19mm 25mm

### **Standard Sizes:**

8ft v 4ft 8ft x 3ft 7ft x 4ft 7ft x 3ft 6ft x 4ft 6ft x 3ft



**Proof** 



**Environmental** Friendly



**Boiling** Waterproof



100% Calibrated **Plywood** 



**Termite** Proof



WARRANTY

# CLASSIC CLUB

# SYLVESTER CLUB

This Boiling Water Proof grade product has better multi-tasking abilities than an ordinary ply to suit different climatic conditions. Bonded with PF (Phenol Formaldehyde) resin, it can withstand alternate drying, wetting & other temperature variations.

Sylvester Ply is made from 100% hardwood and gets the unique CCP technology treatment making it fully Borer Proof and Termite Resistant. It comes with a 15 years worry-free warranty and is not only manufactured in accordance with IS-710 but also has a higher load bearing capacity Making it perfect for use in all architectural as well as home decor purposes.



- Glued core protection for borer proof & termite resistance.
- Bonded with superior grade synthetic adhesive for higher strength & durability
- Manufactured using specially selected high density timber.
- High resistance to all climatic conditions.
- Double pressing process for smooth finish.
- Superior surface finish.
- 15 Years warranty.







### TECHNICAL SPECIFICATION

Specific Gravity	.65
Adhesive of Piles	Excellent
Moisture Content (%)	8-12%
Nail Holding Strength(kg)	>90
Screw Holding Strength(kg)	>225
Veneer to Veneer ratio	As per standard
CSS Wet Test(kgf)	>110
Preservative treatment	Two tier treatment 1. Clued core protection 2. Finished panels are treated with ACC
Clue Shear Strength (kgf)	>135
Mycological Test (kgf)	>110
Cap.Split.Overlap,Wrap	Nil
Statics Bending Strenght (N/mm2)	MoR (N/Sq.mm)  1. Across the Grain>45  2. Along the Grain>55  MoE (N/Sq.mm)  1. Across the Grain>4500

2. Along the Grain>7800

#### Standard Thickness:

4mm, 6mm, 9mm 12mm, 16mm, 19mm 25mm

#### **Standard Sizes:**

8ft x 4ft 8ft x 3ft 7ft x 4ft 7ft x 3ft 6ft x 4ft 6ft x 3ft



Borer Proof



**Environmental Friendly** 



Boiling Waterproof



100% Calibrated Plywood



Termite Proof



# PREMIUM CLUB

# SYLVESTER GOLD



This premium Boiling Water product is 100% Borer proof & Termite Resistant and comes with an industry 10 years warranty. Apart from being weather resistant and having the properties of unique GCP (Glued Core Protection) technology treatment, this PF bonded product has the ability to withstand heavy load for years. This product also comes with Premium Gurjan Face Veneer.



- IS: 303 BWR Grade General-Purpose plywood
- Manufactured using specially selected high-density timber (Hardwood)
- superior strength and higher screw holding capacity along with the heavy load bearing capacity.



- Gurjan Face Veneer (2 layers) for the unmatchable smooth finish
- Poplar Core Veneers (3 layers) for higher stability
- Double pressing process for a dimensionally stable product with superior strength
- 10 Years Warranty.





### TECHNICAL SPECIFICATIONS

Specific Gravity	.55
Adhesive of Piles	Pass Standard
Moisture Content (%)	8-12%
Nail Holding Strength(kg)	>85
Screw Holding Strength(kg)	>200
General properties	BWR 303
Water Absorption (%)	<5
Glue Shear Strength (kgf)	>85
Statics Bending Strenght	MoR (N/Sq.mm)
(N/mm2)	1. Across the Grain>45
	2. Along the Grain>48
	MoE (N/Sq.mm)
	1. Across the Grain>4000
	2. Along the Grain>5800

#### **Standard Thickness:**

4mm, 6mm, 9mm 12mm, 16mm, 19mm 25mm

#### Standard Sizes:

8ft x 4ft 8ft x 3ft 7ft x 4ft 7ft x 3ft 6ft x 4ft 6ft x 3ft



**Proof** 



Environmental Friendly



Boiling Waterproof



100% Calibrated Plywood




Termite Proof



# STANDARD CLUB

# SYLVESTER SILVER





- Glued Core Protection (GCP) technology for complete protection against borers & termites
- IS: 303 MR Grade General Purpose Plywood
- Manufactured using specially selected high-density timber (Hardwood) for superior strength and higher screw holding capacity along with the heavy load-bearing capacity
- Bonded with superior grade synthetic resin that endures toxicity in every layer
- Poplar Core Veneers (3 layers) for higher stability
- Double pressing process for a dimensionally stable product with superior strength
- 7 Years Warranty





### TECHNICAL SPECIFICATIONS

Workmanship and Finish	Satisfactory	Satisfactory	
Dimension	Length=+6mm Width=+3mm Thickness=+0.90mm	Length=2442mm Width=1221mm Thickness=18.25mm	
Moisture Content (%)	5-15%	8-10%	
Resistance to Water 3 hours at 60 2 degree celcius (3cycle) 3 hours drying at 60 2 degree celcius	Minimum Pass Standard	Passed	
Resistance to Micro Organisms	Minimum Pass Standard	Passed	
Modules of Rupture(N/mm square)	1. Across the Grain>18 2. Along the Grain>35		
Modules of Elasticity(N/mm square)	1. Across the Grain>2500 2. Along the Grain>4500		



4mm, 6mm, 9mm 12mm, 16mm, 19mm 25mm

#### **Standard Sizes:**

8ft x 4ft 8ft x 3ft 7ft x 4ft 7ft x 3ft 6ft x 4ft 6ft x 3ft





**Proof** 



**Environmental Friendly** 



Boiling Waterproof



100% Calibrated Plywood



Termite Proof



### SYLVESTER BLOCK BOARD / BWP

This premium block board product is made from pinewood and comes with 100% Gurjan face veneer alongside Gurjan core, which are full core & full panel veneers. This product has been manufactured with Glued Core Protection (GCP) technology, which makes it 100% borer-proof and termite resistant and comes with unmatchable quality. Bring home not just the block of strength but a board of endurance!

Parameters: Block Board BWP Grade

IS 1659:2004 Moisture Content(%): 5% to 15% Water Resistance Test: Excellent Adhesion of Plies: Excellent Modulus of Elasticity [N/mm2]: 5000 Modulus of Rapture [N/mm2]: >50 <1% Water Absorption: Nail Holding Strength: >50Kg Screw Holding Strength: >80Kg Standard Thickness [mm]: 19 & 25

 $Standard \ Sizes[mm \ x \ mm]: \qquad 2440x1220, \ 2440x920, \ 2140x1220,$ 

2140x920, 1840x1220, 1840x920

Special Features

Process Compliant: ISO 9001; ISO 14001 &. OHSAS18001





### SYLVESTER BLOCK BOARD/BWR & MR

This durable Boiling Waterproof grade block board has superior attributes to resist any climatic conditioning. This product is available in both pinewood as well as hardwood and comes with Glued Core Protection (GCP) technology.

Parameters: Block Board MR Grade

IS 1659:2004 Moisture Content(%): 5% to 15% Excellent Water Resistance Test: Excellent Adhesion of Plies: Modulus of Elasticity [N/mm2]: >4000 Modulus of Rapture [N/mm2]: >40 Water Absorption: <2% >500N Nail Holding Strength: Screw Holding Strength: >100Kg Standard Thickness [mm]: 19 & 25

 $Standard \ Sizes[mm \ x \ mm]: \qquad 2440x1220, \ 2440x920, \ 2140x1220,$ 

2140x920, 1840x1220, 1840x920

Special Features

Process Compliant: ISO 9001; ISO 14001 &. OHSAS18001





SYLVESTER FLUSH DOOR

Sylvester Flush Door is a premium product made from selected veneers, well seasoned wood and is bonded with PF Resin. To improve durability, chemical treatment is being given and is pressed under high pressure and temperature to make the Flush Door resistant to termite, wood borers and cyclic changes. It is ideally suitable for both indoor & outdoor, domestic and commercial establishments. Both side decorative & non-decorative respectively. It is structurally and dimensionally stable 100% BWP product available in Standard Sizes as well as Standard Thickness as per end users requirement. It comes with 10 years of warranty.

than 1 mm

Local Planeness: Within 0.5

mm

Squareness of Edge straightness: Within 2%

limit

Water Absorption: <1%
Nail Holding Strength: >500N
Screw Holding Strength: >1250N
Specific Gravity: 0.60
Knife Test: Excellent
Glue Adhesion: Excellent





# "Terms & Conditions"



### **General Terms and Condition of Warranty:**

We confirm that Sylvester range of plywood is treated with the best possible formula against termite and borer. Sylvester plywood resists more against termite and borer than un-treated plywood.

### Warranty against TERMITE and BORER

- 1. Immediately on the purchase of goods, the purchaser would get eligible for the warranty extended by Sylvester Plywood.
- 2. This warranty is valid for a specified period as per the product ID for the date of purchase against specified defects only.
- 3. The purchase of 'Sylvester' products must be registered with the company within 1 month form the date of purchase.
- 4. In case of any complaints, the consumer shall notify the company in writing along with the evidence of purchase (Invoice Copy).
- 5. Upon the receipt of the complaint, Sylvester Plywood reserves the right to depute their authorized representatives to the consumer's premises for physical examination/verification of the allegedly damaged portion of the material.
- 6. The company reserves the right to take samples form damaged portion of the product for further testing at its own laboratory or any other renowned laboratory in India.
- 7. The findings of authorized personnel and the testing facility would be binding and final for all the parties. The authority to establish the claim and process of warranty rests solely with Sylvester Plywood.
- 8. Any claims regarding additional cost incurred on the material during the process of conversion into various articles, either on labour or on any other complimentary material like paints, lacquer, polish, hardware, laminates, veneer, fittings, varnish or any other goods how ever used with "Sylvester" products or any other loss described, will not be covered under this warranty.
- 9. The company will in no event be liable or obligated for payment of any special, incidental or consequential damages. The company expressly denies the right of any person to incur or assume for it any other liability or obligation in connection with in connection with sale of Plywood and other Wood Panel Products.
- 10. Upon physical/chemical examination verification and testing, if it is established that the plywood/block board is a genuine product of Sylvester Plywood and the damages occurred to the alleged material falls under the specified terms and conditions of warranty, the same will be replaced by the company in equal quantity of the plywood which has been actually damaged.
- 11. Claims if any, to this warranty shall be made before courts having jurisdiction in KOLKATA only.
- 12. This warranty automatically terminates on the expiry of the warranty period of specified product, even in case the plywood or other wood panels are not being used in the specified period.
- 13. Warranty does not extend to damages from causes such as floods, earthquakes, fire or force majeure.
- 14. Warranty is not applicable in case of keeping plywood or furniture on 'kachha flooring', keeping close proximity to water or moisturized conditions or any other similar contingencies and severely pest infected environment. Bad workmanship, inappropriate use of cutting and finishing tools also makes warranty void.
- 15. Warranty does not cover normal wear and tear, impact damages, physical damages, storage led bending, Seepage driven damages, improper handling or abnormal use. Warranty is also not applicable if guidelines for the usage of the specified product is ignored/not followed.

Product ID:							
Thickness:	Size:	Quantity:	Branch:				
Channel Partner's Name:	SV	veste					
Cash memo/Invoice No:	Р	LY   BOARD   DO	Customer's Name:				
Customer's Address:							
			Phone Number:				





Are you buying plywood for your furniture? STOP...!

Do not just believe anyone. Use your discretion and judgment. Here is a guide on how to choose the best possible plywood.

Remember all that

Remember all that glitters is not Gold!

# (QI) Which type of timber log is used for making plywood?

(A) Imported - Gurjan log is best suitable. Sylvester Ply made out of gurjan logs and imported hardwood.

### (QI) Which type of timber log is suitable for making a Block Board?

(A) PINE & TEAK logis suitable. Sylvester Ply we use pine log.

## (Q3) What should be thickness of face used in making plywood?

(A) Minimum 0.6mm FACE should be used. Sylvester Ply we use 0.6mm thickness.

## (Q4) What should be done to prevent plywood from deforming/warping?

(A) Full long panel & tenderized core should be used. Sylvester Ply we make according to the answer given.

# (Q5) How much CORE Gap should be there in plywood?

(A) It must not be more than 3mm in between core joints. Sylvester Ply Minimum Core Gap.

# (Q6) Is Bureau of indian standards approval required for plywood?

(A) Good plywood is manufactured should have license from BIS. Sylvester Ply is manu-facture according to the standards of BIS.

### (Q7) How long must plywood be safe from borer & termite attack?

(A) It must be safe from borer & termite attack for as many years as possible Sylvester Ply it is safe for a minimum 10 years from to life time for borer termite and fungus attack.

### (Q8) Should the manufacturer give warranty?

(A) If the manufacturing company belives in quality product then it should give warranty. Sylvester Ply we give warranty card to our costomers and today it is guaranteed according to the range of product.

### (Q9) How pure should the resin utilized for bonding of plywood be?

(A) Solid contents of PF Resin should be 49%. Resin must be made in own plant tested in batches, then used. Sylvester Ply we have qualified chemists and prepare resin in our own get it tested batch wise, then it is utilized.

## (Q10) Is it possible that cheap plywood can endanger your health?

(A) Yes. cheap plywood would keep releasing powder which could damage your lungs and cause respiratory diseases.

Sylvester Ply it is powder proof, out of 11 basic points. Sylvester Ply gets 10.5 points.



(i) Opltec ads

+91 7795001337





Contact for: Website | Design, Development, & Hosting

Digital Marketing, Catalogue Designing Logo Designing, Product Photography, Branding, Video Ads.

A venture of OPeoplelistentechnologies Pvt. Ltd.
CIN: U72900WB2017PTC219030, 64/D ACHARYA PRAFULLA CHANDRA ROAD, KOLKATA 700009.

TOMTOM.biz | ADS

**ADS Place Holder** 

Your Advertisement Here 768 x 90

Your
Advertisement
Here

TOMTOM.biz | ADS

Your Advertisement Here